



Atlas

Vertical Roller Mill for Fine Products

Atlas

The ATLAS is a roller air-swept mill designed for continuous operation with minimum maintenance. The fundamental difference between the ATLAS and other table-roller mills is the bearing arrangement for the grinding table which is incorporated into the base of the mill. This enables an operation with a standard design gearbox instead of the typical gearboxes with integrated bearing section with long delivery times. The milling force is no longer transmitted to any foundation, but directly transferred to the roller arms making sure that civil work, erection and operation are easier to be handled and therefore much more inexpensive.

Fresh feed is introduced to the mill at a controlled rate through the upper feed chute. Milling takes place between the rollers and the table as the material moves outwards. The depth of the material bed on the grinding table is adjustable in order to control the retention time in the grinding zone. The ground material is entrained in the air stream which enters through tangential air ports in the base of the mill and is carried upwards to the classifier for the separation by particle size.

Product of the required particle size is carried through the classifier for collection in the downstream cyclone and/or filter whilst oversize material returns to the grinding zone for further size reduction with the incoming feed material.

A fan generates the airflow through the milling system and ensures dust free operation by keeping the plant under negative pressure.

Where appropriate, the incoming air stream can be heated for drying and grinding of the material at once.

In addition, a "coarse discharge screw" can be incorporated into the upper section of the mill in order to extract a proportion of the partially ground material and produce a secondary product of intermediate fineness.

The ATLAS roller mill by NETZSCH ECUTEC is the solution for the fine grinding and classification of a wide variety of materials including: Calcium Carbonate, Dolomite, Talc, Bentonite, Barites, Petroleum Coke, Calcium Oxide (Burnt Lime), Gypsum, etc.

Fine Classifier BARAT

The newly developed BARAT classifier and the ATLAS roller mill combines perfectly for the production of fine and medium fine powders. The innovative rotor design reduces energy consumption without losing its ability to produce sharp cut points. The TC is an air stream classifier which provides an excellent precision of cut at a very low pressure drop and is ideal for economical production of fine materials in the $d_{98} < 30\text{-}250\text{ }\mu\text{m}$ range.

Turbo Classifier SCIROCCO

Where ultrafine products are required, the ATLAS is combined with NETZSCH ECUTEC well established SCIROCCO classifier and in this arrangement $d_{98} < 6\text{ }\mu\text{m}$ products are achievable.

Advantages

1. Robust Design
2. Bearing System Integrated into Mill Base
3. Closed Milling Force Circuit
4. Reduced Delivery Time and Competitive Pricing
5. Lower Civil and Installation Costs
6. Compact Plant Configuration
7. Sharp and very Fine Top Cut (down to $d_{98} < 6\text{ }\mu\text{m}$)
8. Low Specific Energy Consumption
9. Low Wear Rates and Easy Maintenance



ATLAS Roller Mill with Blower


Technical Data ATLAS		600	1.000	1.200	1.400	1.600	1.800	2.000
Installed Power	[kW]	45	75 - 90	110 - 132	132 - 200	250 - 315	250 - 355	355 - 500
Diameter	[mm]	600	1.000	1.200	1.400	1.600	1.800	2.000
Heigth A	[mm]	2.100	3.000	5.650	4.750	6.725	7.300	9.500
Number of Rollers		3	3	3	3	3	3	3

Classifier SCIROCCO Type		100	300	500	700	900	1.300	1.500
Installed Power	[kW]	11	18,5	22	37	45	110	160
Rotor Speed	[rpm]	4.600	2.000	1.500	1.200	1.150	1.000	950
Nominal Airflow	[m³/h]	3.750	10.000	18.000	26.000	40.000	60.000	80.000

Sizes not related with mill sizes

Classifier BARAT Type		950	1.300	1.900	2.700	3.800	5.400	7.600
Installed Power	[kW]	11	18	30	55	90	132	200
Rotor Speed	[rpm]	670	480	340	238	170	120	85
Nominal Airflow	[m³/h]	25.000	40.000	60.000	80.000	120.000	180.000	260.000

All technical data are subject to changes



ATLAS Roller Mill



ATLAS Roller Mill

Business Unit Grinding & Dispersing – The World's Leading Grinding Technology

NETZSCH-Feinmahltechnik GmbH
Selb, Germany

NETZSCH Lohnmahltechnik GmbH
Bobingen, Germany

NETZSCH Premier Technologies,
LLC. Exton PA, USA

NETZSCH Indústria e Comércio de
Equipamentos de Moagem Ltda.
Pomerode, Brazil

NETZSCH Technologies India
Private Ltd.
Chennai, India

NETZSCH Trockenmahltechnik GmbH
Hanau, Germany

NETZSCH ECUTEC, S.L.
Terrassa/Barcelona, Spain

NETZSCH Mastermix Ltd.
Lichfield, Great Britain

NETZSCH (Shanghai) Machinery
and Instruments Co., Ltd.
Shanghai, China

NETZSCH FRÈRES S.A.R.L.
Arpajon, France

NETZSCH Vakumix GmbH
Weyhe-Dreye, Germany

AO NETZSCH Tula
Tula, Russia

NETZSCH Korea Co., Ltd.
Goyang, Korea

NETZSCH Makine Sanayi ve
Ticaret Ltd. Sti.
Izmir, Turkey

The NETZSCH Group is a mid-sized, family-owned German company engaging in the manufacture of machinery and instrumentation with worldwide production, sales, and service branches.

The three Business Units – Analyzing & Testing, Grinding & Dispersing and Pumps & Systems – provide tailored solutions for highest-level needs. Over 3 400 employees at 210 sales and production centers in 35 countries across the globe guarantee that expert service is never far from our customers.

NETZSCH ECUTEC
Div. Minerals & Mining
Gran Via de les Corts Catalanes 641, 6^o-4^a
08010 Barcelona
Spain
Tel.: +34 932 477 700
Fax: +34 932 477 701
info.net@netzsch.com

ecutec
NETZSCH

www.netzsch-grinding.com